

## FORT KNOX I TRACK

<b>Number of heads</b>	1
<b>Mounting</b>	Track mounting
<b>Lamps description</b>	LED Array 9,2W 945 lm 3000K CRI 80
<b>Luminaire luminous flux</b>	See reference number
<b>Voltage (V)</b>	220/240
<b>Environment</b>	Indoor

### OPTICAL

<b>Light controller description</b>	Protection glass
<b>Aiming</b>	Adjustable
<b>Light distribution symmetry</b>	Symmetric
<b>Beam angle</b>	27° Medium

### ELECTRICAL

<b>Transformer availability</b>	Included
<b>Transformer mounting</b>	Integral
<b>Transformer type</b>	Electronic
<b>Emergency</b>	Without
<b>Insulation class</b>	Class I


### PHYSICAL


<b>Height (mm)</b>	142
<b>Spot diameter (mm)</b>	60
<b>Construction material</b>	Die-cast aluminum
<b>Weight (kg)</b>	0,60




### Fort Knox I Track designed by Philippe Starck

Projector for mounting on threephase rail with LED light source. 220-240V, 50-60Hz power supply included.

	09.2151.30A - 637lm	White
	09.2151.05A - 637lm	Polished aluminium
	09.2151.14A - 637lm	Black



### CERTIFICATIONS



## Fort Knox I Track . Accessories

### Optical



08.8502.14

#### Honeycomb

"Honeycomb" anti-glare screen: in thin, black-painted aluminium sheets.



08.8501.64.OD

#### BLUE FILTER

Colored filters in 3 mm dichroic material



08.8501.65.OD

#### SKY BLUE FILTER

Colored filters in 3 mm dichroic material



08.8501.66.OD

#### AMBER FILTER

Colored filters in 3 mm dichroic material



08.8501.67.OD

#### RED FILTER

Colored filters in 3 mm dichroic material



08.8501.69

#### HOT LIGHT

Colored filters in 3 mm dichroic material



08.8501.CL

#### COLD LIGHT

Colored filters in 3 mm dichroic material



08.8501.DL

#### DAYLIGHT

Colored filters in 3 mm dichroic material



08.8501.ND

#### NEODIMIUM


Colored filters in 3 mm dichroic material




### Fort Knox I Track designed by Philippe Starck

Projector for mounting on threephase rail with LED light source. 220-240V, 50-60Hz power supply included.

- 09.2151.30A - 637lm White
- 09.2151.05A - 637lm Polished aluminium
- 09.2151.14A - 637lm Black



### CERTIFICATIONS



## Fort Knox I Track . Accessories

### Mounting



60.3022.11

60.3023.11

60.3022.14

60.3023.14

**Recessed box for fix-point**

60.3023.29

**Fix-point**



### Fort Knox I Track designed by Philippe Starck

Projector for mounting on threephase rail with LED light source. 220-240V, 50-60Hz power supply included.

- 09.2151.30A - 637lm White
- 09.2151.05A - 637lm Polished aluminium
- 09.2151.14A - 637lm Black

## Fort Knox I Track . Lamps



**LED Array**

**Lamp category:**


LED

**Socket:**

Special base

**Lamp type:**

LED Array



### CERTIFICATIONS



GWT  
850°



IP  
20