

FORT KNOX I TRACK

Number of heads	1
Mounting	Track mounting
Lamps description	LED Array 13,8W 1474 lm 3000K CRI 80 Built-in Potentiometer
Luminaire luminous flux	See reference number
Voltage (V)	220/240
Environment	Indoor



OPTICAL




Light controller description	Protection glass
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	19° Spot

Fort Knox I Track designed by Philippe Starck

Projector for mounting on threephase rail with LED light source. 220-240V, 50-60Hz power supply included.


ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic dimmable
Emergency	Without
Insulation class	Class I


	09.2160.30A - 1096lm	White
	09.2160.05A - 1096lm	Polished aluminium
	09.2160.14A - 1096lm	Black

PHYSICAL

Height (mm)	142
Spot diameter (mm)	60
Construction material	Die-cast aluminum
Weight (kg)	0,60



CERTIFICATIONS



Fort Knox I Track . Accessories

Optical



08.8502.14

Honeycomb

"Honeycomb" anti-glare screen: in thin, black-painted aluminium sheets.



08.8501.64.OD

BLUE FILTER

Colored filters in 3 mm dichroic material



08.8501.65.OD

SKY BLUE FILTER

Colored filters in 3 mm dichroic material



08.8501.66.OD

AMBER FILTER

Colored filters in 3 mm dichroic material



08.8501.67.OD

RED FILTER

Colored filters in 3 mm dichroic material



08.8501.69

HOT LIGHT

Colored filters in 3 mm dichroic material



08.8501.CL

COLD LIGHT

Colored filters in 3 mm dichroic material



08.8501.DL

DAYLIGHT

Colored filters in 3 mm dichroic material



08.8501.ND

NEODIMIUM


Colored filters in 3 mm dichroic material




Fort Knox I Track designed by Philippe Starck

Projector for mounting on threephase rail with LED light source. 220-240V, 50-60Hz power supply included.

- 09.2160.30A - 1096lm White
- 09.2160.05A - 1096lm Polished aluminium
- 09.2160.14A - 1096lm Black



CERTIFICATIONS



Fort Knox I Track . Accessories

Mounting



60.3022.11

60.3023.11

60.3022.14

60.3023.14

Recessed box for fix-point

60.3023.29

Fix-point



Fort Knox I Track designed by Philippe Starck

Projector for mounting on three-phase rail with LED light source. 220-240V, 50-60Hz power supply included.

- 09.2160.30A - 1096lm White
- 09.2160.05A - 1096lm Polished aluminium
- 09.2160.14A - 1096lm Black

Fort Knox I Track . Lamps




LED Array

Lamp category:
LED

Socket:
Special base

Lamp type:
LED Array



CERTIFICATIONS



GWT
850°



IP
20