# FLOS

### PURE | SPOT TRACK

Number of heads Mounting Lamps description Luminaire luminous flux Voltage (V) Environment

Track mounting Phosphor LED 17W 1400 Im 3000K CRI 98 Extreme Cut-off. See reference number 220/240 Indoor

#### OPTICAL

Light controller description Reflector finish Aiming Light distribution symmetry Beam angle

### ELECTRICAL

Transformer availability Transformer mounting Transformer type Emergency Insulation class

### PHYSICAL

Width (mm)	
Spot diameter (mm)	
Construction material	
Weight (kg)	

Class I

Protection glass

Aluminum

Adjustable

Symmetric

46° Flood

Included

Integral

Electronic

Without

Т

86 Aluminium 1,20







Pure I Spot Track designed by Knud Holscher

Spotlight to be installed on 3-phase track. Electronic transformer 220-240V – 50/60Hz for phosphor LED integrated LED integrated

09.2401.30C - 1035lm	White
09.2401.02C - 1035lm	Grey
09.2401.14C - 1035lm	Black






# FLOS


## Pure | Spot Track . Accessories


#### Optical



# FLOS

## Pure | Spot Track . Accessories







Pure | Spot Track . Lamps



Phosphor LED Lamp category: LED Lamp type: Phosphor LED



Pure I Spot Track designed by Knud Holscher

Spotlight to be installed on 3-phase track. Electronic transformer 220-240V – 50/60Hz for phosphor LED integrated LED integrated



