

PURE I SPOT PRO TRACK

Number of heads

Mounting Track mounting

Lamps descriptionPhosphor LED 19,5W 2000 Im 3000K CRI 80Luminaire luminous fluxExtreme Cut-off. See reference number

Voltage (V) 220/240
Environment Indoor

OPTICAL

Reflector finishAluminumAimingAdjustableLight distribution symmetrySymmetricBeam angle29° Medium

ELECTRICAL

Transformer availability Included
Transformer mounting Integral
Transformer type Electronic
Emergency Without
Insulation class Class I

PHYSICAL

Width (mm) 180 Spot diameter (mm) 86

Construction material Aluminium
Weight (kg) 1,40






Pure I Spot Pro Track designed by Knud Holscher

Spotlight to be installed on 3-phase track. Electronic transformer 220/240, 50/60Hz for phosphor LED integrated. LED integrated.

09.2431.30C - 837lm White
09.2431.02C - 837lm Grey
09.2431.14C - 837lm Black



CERTIFICATIONS

















Flos.architectural@flos.com www.flos.com



Pure I Spot Pro Track . Accessories

Optical









Pure I Spot Pro Track designed by Knud Holscher

08.8163.68 **Elliptical lens**

Elliptical light distribution lens in 4 mm thick tempered glass. 08.8160.64.OD

Blue filter

Blue filter

08.8160.65.OD

Sky blue filter

Sky blue filter

Spotlight to be installed on 3-phase track. Electronic transformer 220/240, 50/60Hz for phosphor LED integrated. LED integrated.









08.8160.66.OD

Amber filter

Amber filter

08.8160.67.OD


Red filter

Red filter

08.8160.98.OD

U.V. filter

U.V. filter

























08.8160.68

I.R. filter

I.R. filter

08.8160.69

Hot Light

Hot Light

08.8160.CL

Cold light filter

Cold light filter

Flos.architectural@flos.com www.flos.com



Pure I Spot Pro Track . Accessories







08.8160.DL

Daylight filter

Daylight filter

08.8160.ND

Neodimium

08.8175.68

Flood lens

Flood lens made in press glass.



Pure I Spot Pro Track designed by Knud Holscher

Spotlight to be installed on 3-phase track. Electronic transformer 220/240, 50/60Hz for phosphor LED integrated. LED integrated.


09.2431.30C - 837lm White 09.2431.02C - 837lm Grey 09.2431.14C - 837lm Black



08.8186.14

Honeycomb

Anti-glare grid in aluminium cells with black liquid paint finish.



CERTIFICATIONS

















Flos.architectural@flos.com www.flos.com



Pure I Spot Pro Track . Lamps




Phosphor LED
Lamp category:
LED
Lamp type:
Phosphor LED



Pure I Spot Pro Track designed by Knud Holscher

Spotlight to be installed on 3-phase track. Electronic transformer 220/240, 50/60Hz for phosphor LED integrated. LED integrated.

09.2431.30C - 837lm White 09.2431.02C - 837lm Grey 09.2431.14C - 837lm Black



CERTIFICATIONS















IP 20

Flos.architectural@flos.com www.flos.com