

SOLID PURE CEILING/WALL NO DIMMABLE

Number of heads	1
Design awards	Red Dot Design Award Winner 2013
Mounting	Ceiling surface, Wall surface
Lamps description	LED Array 30W 3667 lm 4000K CRI 80
Luminaire luminous flux	See reference number
Voltage (V)	220/240
Environment	Indoor



OPTICAL

Light controller description	Protection glass
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	14° Spot

Solid Pure Ceiling/Wall No Dimmable
designed by Knud Holscher

Spotlight to be installed on ceiling/wall with LED light source. Integrated power supply 220-240V / 50-60Hz.


ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic
Emergency	Without
Insulation class	Class I


● 09.2882.30 - 3238lm	White
● 09.2882.14 - 3238lm	Black

PHYSICAL

Diameter (mm)	S/N
Height (mm)	239,5
Spot diameter (mm)	103
Construction material	Aluminium
Weight (kg)	1,90



CERTIFICATIONS



Solid Pure Ceiling/Wall No Dimmable . Accessories

Optical



08.8768.14

Holding ring

Holding ring



● 08.8763.14

Honeycomb anti-glare screen


"Honeycomb" anti-glare screen: in thin, black-painted aluminium sheets.



● 08.8766.64.OD

Blue filter

Blue filter



● 08.8766.65.OD

Sky blue filter

Sky blue filter



● 08.8766.66.OD

Amber filter

Amber filter



● 08.8766.67.OD

Red filter


Red filter



Solid Pure Ceiling/Wall No Dimmable
designed by Knud Holscher

Spotlight to be installed on ceiling/wall with LED light source. Integrated power supply 220-240V / 50-60Hz.


● 09.2882.30 - 3238lm White
● 09.2882.14 - 3238lm Black



CERTIFICATIONS



Solid Pure Ceiling/Wall No Dimmable . Lamps



LED Array

Lamp category:

LED

Socket:

Special base

Lamp type:


LED Array



Solid Pure Ceiling/Wall No Dimmable
designed by Knud Holscher

Spotlight to be installed on ceiling/wall with LED light source. Integrated power supply 220-240V / 50-60Hz.

- 09.2882.30 - 3238lm White
- 09.2882.14 - 3238lm Black



CERTIFICATIONS

