### FLOS

### SOLID PURE TRACK NO DIMMABLE

Number of heads	1
Design awards	Re
Mounting	Th
Lamps description	LE
Luminaire luminous flux	Se
Voltage (V)	22
Environment	Inc

Red Dot Design Award Winner 2013 Three phase track LED Array 23W 2865 Im 4000K CRI 80 See reference number 220/240 Indoor

Protection glass

Adjustable

Symmetric

Included

Integral

Class I

S/N

239,5 103 Aluminium 1,70

Electronic Without

17° Medium

### OPTICAL

Light controller description Aiming Light distribution symmetry Beam angle


### ELECTRICAL

Transformer availability Transformer mounting Transformer type Emergency Insulation class

### PHYSICAL

Diameter (mm)	
Height (mm)	
Spot diameter (mm)	
Construction material	
Weight (kg)	

Flos.architectural@flos.com




# 


Solid Pure Track No Dimmable designed by Knud Holscher

Spotlight to be installed on 3-circuittrack with LED light source. Integrated power supply 220-240V / 50-60Hz.





#### CERTIFICATIONS



## FLOS

#### Solid Pure Track No Dimmable . Accessories




### CERTIFICATIONS $\overbrace{CE}^{WT}$ $\overbrace{PENDING}^{WT}$ $\overbrace{F}^{WT}$ $\overbrace{B50^{\circ}}^{WT}$ $\overbrace{IP}^{WT}$ $\overbrace{20}^{WT}$

## FLOS

### Solid Pure Track No Dimmable . Accessories

#### Mounting



Solid Pure Track No Dimmable . Lamps



LED Array Lamp category: LED Socket: Special base Lamp type: LED Array



Solid Pure Track No Dimmable designed by Knud Holscher

Spotlight to be installed on 3-circuittrack with LED light source. Integrated power supply 220-240V / 50-60Hz.



