

SOLID PURE TRACK NO DIMMABLE

Number of heads	1
Design awards	Red Dot Design Award Winner 2013
Mounting	Three phase track
Lamps description	LED Array 53W 5315 lm 3000K CRI 80
Luminaire luminous flux	See reference number
Voltage (V)	220/240
Environment	Indoor

OPTICAL

Light controller description	Protection glass
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	23° Medium

ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic
Emergency	Without
Insulation class	Class I

PHYSICAL



Diameter (mm)	S/N
Height (mm)	239,5
Spot diameter (mm)	103
Construction material	Aluminium
Weight (kg)	1,70




Solid Pure Track No Dimmable
designed by Knud Holscher

Spotlight to be installed on 3-circuit-track with LED light source. Integrated power supply 220-240V / 50-60Hz.

● 09.2966.30 - 4655lm	White
● 09.2966.14 - 4655lm	Black



CERTIFICATIONS



Solid Pure Track No Dimmable . Accessories

Optical



08.8768.14

Holding ring


Holding ring



08.8763.14

Honeycomb anti-glare screen


"Honeycomb" anti-glare screen: in thin, black-painted aluminium sheets.



08.8766.64.OD

Blue filter


Blue filter



08.8766.65.OD

Sky blue filter


Sky blue filter



08.8766.66.OD

Amber filter

Amber filter



08.8766.67.OD



Red filter


Red filter



Solid Pure Track No Dimmable designed by Knud Holscher

Spotlight to be installed on 3-circuit-track with LED light source. Integrated power supply 220-240V / 50-60Hz.

-  09.2966.30 - 4655lm White
-  09.2966.14 - 4655lm Black



CERTIFICATIONS



Solid Pure Track No Dimmable . Accessories

Mounting



● 60.3022.11

● 60.3023.11

● 60.3022.14

● 60.3023.14

Recessed box for fix-point

● 60.3023.29

Fix-point




Solid Pure Track No Dimmable
designed by Knud Holscher

Spotlight to be installed on 3-circuit-track with LED light source.
Integrated power supply 220-240V / 50-60Hz.

● 09.2966.30 - 4655lm White

● 09.2966.14 - 4655lm Black

Solid Pure Track No Dimmable . Lamps



LED Array

Lamp category:


LED

Socket:

Special base

Lamp type:

LED Array



CERTIFICATIONS

