

## SOLID PURE TRACK NO DIMMABLE

Number of heads	1
Design awards	Red Dot Design Award Winner 2013
Mounting	Three phase track
Lamps description	LED Array 30W 2855 lm 3000K CRI 90
Luminaire luminous flux	See reference number
Voltage (V)	220/240
Environment	Indoor

### OPTICAL

Light controller description	Protection glass
Aiming	Adjustable
Light distribution symmetry	Symmetric
Beam angle	44° Flood

### ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic
Emergency	Without
Insulation class	Class I

### PHYSICAL


Diameter (mm)	S/N
Height (mm)	239,5
Spot diameter (mm)	103
Construction material	Aluminium
Weight (kg)	1,70





**Solid Pure Track No Dimmable**  
designed by Knud Holscher

Spotlight to be installed on 3-circuit-track with LED light source. Integrated power supply 220-240V / 50-60Hz.

● 09.2999.30 - 2457lm	White
● 09.2999.14 - 2457lm	Black



### CERTIFICATIONS



## Solid Pure Track No Dimmable . Accessories

### Optical



08.8768.14

#### Holding ring


Holding ring



08.8763.14

#### Honeycomb anti-glare screen


"Honeycomb" anti-glare screen: in thin, black-painted aluminium sheets.



08.8766.64.OD

#### Blue filter

Blue filter



08.8766.65.OD

#### Sky blue filter


Sky blue filter



08.8766.66.OD

#### Amber filter

Amber filter



08.8766.67.OD

#### Red filter


Red filter



#### Solid Pure Track No Dimmable designed by Knud Holscher

Spotlight to be installed on 3-circuit-track with LED light source. Integrated power supply 220-240V / 50-60Hz.

09.2999.30 - 2457lm	White
09.2999.14 - 2457lm	Black



#### CERTIFICATIONS



## Solid Pure Track No Dimmable . Accessories

### Mounting



60.3022.11

60.3022.14

**Recessed box for fix-point**



60.3023.11

60.3023.14

60.3023.29

**Fix-point**




**Solid Pure Track No Dimmable**  
designed by Knud Holscher


Spotlight to be installed on 3-circuit-track with LED light source.  
Integrated power supply 220-240V / 50-60Hz.

09.2999.30 - 2457lm White

09.2999.14 - 2457lm Black



## Solid Pure Track No Dimmable . Lamps



**LED Array**

**Lamp category:**

LED

**Socket:**

Special base

**Lamp type:**

LED Array

### CERTIFICATIONS

