

LED PIPES RECESSED 4L

Number of heads	1
Mounting	Ceiling recessed
Lamps description	Power LED 10W 850 lm 3000K CRI 80
Luminaire luminous flux	Extreme Cut-off. See reference number
Voltage (V)	24
Environment	Indoor
Notes	Screening cylinder incorporated into the product to cover the external part of the "pipe" and improve visual comfort

OPTICAL

Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	19°, 20°

ELECTRICAL

Transformer availability	Separate item
Transformer mounting	Remote
Transformer type	Electronic
Emergency	Without
Insulation class	Class III

PHYSICAL


Cutout length (mm)	108
Cutout width (mm)	108
Recessed depth (mm)	85
Construction material	Plastic
Weight (kg)	0,43





LED Pipes Recessed 4L
designed by FLOS Architectural

Embedded luminaire for LED light source. Power supply not included.

● 09.3400.30A - 328lm	Transparent
● 09.3401.30A - 328lm	Amber
● 09.3402.30A - 328lm	Violet



CERTIFICATIONS



LED Pipes Recessed 4L . Accessories

Power Supply



60.8495

Electronic transformer with constant voltage (24V) for LED. 20W

Electronic transformer with constant voltage (24V) for LED. 100/240V.

Maximum lenght of 1.5 mm2
secondary conductor (m): 5



60.8496

Electronic transformer with constant voltage (24V) for LED. 60W

Electronic transformer with constant voltage (24V) for LED. 100/240V.

Maximum lenght of 1.5 mm2
secondary conductor (m): 5



60.8497

Electronic transformer with constant voltage (24V) for LED. 100W

Electronic transformer with constant voltage (24V) for LED. 100/240V.

Maximum lenght of 1.5 mm2
secondary conductor (m): 5

Maximum lenght of 2.5 mm2
secondary conductor (m): 10




LED Pipes Recessed 4L designed by FLOS Architectural

Embedded luminaire for LED light source. Power supply not included.

09.3400.30A - 328lm	Transparent
09.3401.30A - 328lm	Amber
09.3402.30A - 328lm	Violet


Mounting




08.8504.00

Installation frame

Installation frame 105x105 mm



CERTIFICATIONS



LED Pipes Recessed 4L . Lamps



Power LED

Lamp category:
LED

Socket:
Special base


Lamp type:
Power LED



LED Pipes Recessed 4L designed by FLOS Architectural

Embedded luminaire for LED light source. Power supply not included.

●	09.3400.30A - 328lm	Transparent
●	09.3401.30A - 328lm	Amber
●	09.3402.30A - 328lm	Violet



CERTIFICATIONS

