

FIND ME I SUSPENSION

Number of heads

- 1

Mounting

Pendant

Type of ceiling pendant

Suspension cable

Lamps description

Power LED DC 500 mA 6W 600 lm 3000K CRI 90

Luminaire luminous flux

Extreme Cut-off. See reference number

Environment

Indoor

OPTICAL

Adjustable
Light distribution symmetry
Symmetric
Beam angle
14°

ELECTRICAL

Transformer availability
Separate item
Transformer mounting
Remote
Transformer type
Electronic
Emergency
Insulation class
Class III

PHYSICAL

Construction material Aluminium Weight (kg) 0,23



Find Me I Suspension designed by Jorge Herrera

Luminaire for suspended mounting from the ceiling. The product includes interchangeable shield cylinder in different colours (orange, violet and black). Remote power supply 500 mA not included.

09.3710.30B - 365lm White
09.3710.06B - 365lm Chrome
09.3710.14B - 365lm Black



CERTIFICATIONS













Flos.architectural@flos.com www.flos.com



Find Me I Suspension . Accessories

Mounting





08.8782.30

Recessed power supply rose

Recessed power supply rose

08.8783.30 08.8783.06

08.8783.14

Surface power supply rose

Surface power supply rose. Power supply included.

Find Me I Suspension designed by Jorge Herrera

Luminaire for suspended mounting from the ceiling. The product includes interchangeable shield cylinder in different colours (orange, violet and black). Remote power supply 500 mA not included.

09.3710.30B - 365lm White
09.3710.06B - 365lm Chrome
09.3710.14B - 365lm Black

Power Supply




60.8654

Constant Current Power Supply for LED. 6W

Continuous current power supply of 6W, 100/240V - 50/60Hz with 500 mA supply voltage.

Maximum lenght of 1.5 mm2 secundary conductor (m): 20 $\,$

Maximum lenght of 2.5 mm2 secundary conductor (m): 50



CERTIFICATIONS











Flos.architectural@flos.com www.flos.com



Find Me I Suspension . Lamps



Power LED

Lamp category:

LED

Socket:

Special base


Lamp type:

Power LED

Find Me I Suspension designed by Jorge Herrera

Luminaire for suspended mounting from the ceiling. The product includes interchangeable shield cylinder in different colours (orange, violet and black). Remote power supply 500 mA not included.

09.3710.30B - 365lm White 09.3710.06B - 365lm Chrome 09.3710.14B - 365lm Black



CERTIFICATIONS











Flos.architectural@flos.com www.flos.com