

LIGHTLIGHT® MONO-MAX MONO|DISC III SURFACE

Number of heads	1
Mounting	LightLight® Mono
Lamps description	QR-III G53 35/50/60W or LED QR-III
Voltage (V)	12
Environment	Indoor

OPTICAL

Light controller description	Bare lamps
Aiming	Directional
Light distribution symmetry	Symmetric
Beam angle	24°

ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Emergency	Without
Insulation class	Class II

PHYSICAL

Spot diameter (mm)	115
Construction material	Aluminium
Weight (kg)	0,50




LightLight® Mono-Max Mono|Disc III Surface


designed by Hans Buschfeld

Luminaire to be installed on wall or ceiling. Transformer included.

● BU26050W	White
● BU26050A	Anodised aluminium
● BU26050B	Black
● BU26050P	Polished aluminium




CERTIFICATIONS



LightLight® Mono-Max Mono|Disc III Surface . Accessories

Optical



BU60021



BU60022

Honeycomb anti-glare screen. Halogen

"Honeycomb" anti-glare screen in black painted or silver alluminium sheets for halogen light sources.



BU60023



BU60024

Honeycomb anti-glare screen. LED

"Honeycomb" anti-glare screen in black painted or silver alluminium sheets for LED light sources.



LightLight® Mono-Max Mono|Disc III Surface

designed by Hans Buschfeld

Luminaire to be installed on wall or ceiling. Transformer included.

	BU26050W	White
	BU26050A	Anodised aluminium
	BU26050B	Black
	BU26050P	Polished aluminium

LightLight® Mono-Max Mono|Disc III Surface . Lamps



60.6398

QR-III

Lamp Watt:
35 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6398

Lamp type:
QR-III

60.6374

QR-III

Lamp Watt:
50 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
24 °

Color temperature (K):
3000 °K

Catalog reference:
60.6374

Lamp type:
QR-III

60.6863

QR-III

Lamp Watt:
60 W

Lamp category:
Halogen low voltage

Socket:
G53

Lamp angle:
8 °

Color temperature (K):
3000 °K

Catalog reference:
60.6863

Lamp type:
QR-III

CERTIFICATIONS



LightLight® Mono-Max Mono|Disc III Surface . Lamps



60.6864

QR-III

Lamp Watt:

60 W

Lamp category:

Halogen low voltage

Socket:

G53

Lamp angle:

24 °

Color temperature (K):

3000 °K

Catalog reference:

60.6864

Lamp type:

QR-III

60.6962

LED QR-III

Lamp Watt:

12 W

Lamp category:

LED

Socket:

G53

Lamp angle:

24 °

Color temperature (K):

2800 °K

Catalog reference:

60.6962

Lamp type:

LED QR-III

60.6989

QR-III

Lamp Watt:

50 W

Lamp category:

Halogen low voltage

Socket:

G53

Lamp angle:

6 °

Color temperature (K):

3000 °K

Catalog reference:

60.6989

Lamp type:

QR-III

LightLight® Mono-Max Mono|Disc III Surface

designed by Hans Buschfeld

Luminaire to be installed on wall or ceiling. Transformer included.

	BU26050W	White
	BU26050A	Anodised aluminium
	BU26050B	Black
	BU26050P	Polished aluminium



CERTIFICATIONS

