

## BELVEDERE CLOVE 2

|                              |  |
|------------------------------|--|
| <b>Beam angle</b>            | 100°   |
| <b>Mounting</b>              | Ground   |
| <b>Lamps description</b>     | Power LED: 8,4W - 816 lm ≠ FIXT 657 lm - 3000K/CRI 80 - 100-240V   |
| <b>Environment</b>           | Outdoor  |
| <b>Notes</b>                 | We recommend using a connection system with a degree of protection greater than or equal to the degree of protection of the luminaire.   |
| <b>Technical description</b> | Family of outdoor products consisting of luminaires with a pole of two different heights and suitable for floor installations (ground or buried) and with integrated power supply box. |



### Belvedere Clove 2

designed by Antonio Citterio with Toan Nguyen

100/240V power supply included. Ready for installation on rigid base. Box for ground installation to be ordered separately. Included 2 way terminal block 3 phases IP68 (7-12 mm cable).

- F001B31A001 White
- F001B31A006 Grey
- F001B31A033 Anthracite
- F001B31A030 Black
- F001B31A018 Deep brown

## ELECTRICAL


|                                 |            |
|---------------------------------|------------|
| <b>Transformer type</b>         | Electronic |
| <b>Transformer availability</b> | Included   |
| <b>Transformer mounting</b>     | Integral   |
| <b>Emergency</b>                | Without    |
| <b>Voltage (V)</b>              | 110/240    |

## PHYSICAL


|                        |       |
|------------------------|-------|
| <b>Aiming</b>          | Fixed |
| <b>Weight (kg)</b>     | 1,70  |
| <b>Number of heads</b> | 1     |



## DIMENSIONS



## CERTIFICATIONS



## Belvedere Clove 2 .Accessories


### Mounting



○ F001Z020000

### Box for ground installation

### Electrical



○ F990E00A000

### Surge protection device

Surge protection device. 275Vac. Maximum discharge current 10KA (8/20us). Maximum operating current 5A. Suitable for series connection. IP66.




### Belvedere Clove 2

designed by Antonio Citterio with Toan Nguyen


100/240V power supply included. Ready for installation on rigid base. Box for ground installation to be ordered separately. Included 2 way terminal block 3 phases IP68 (7-12 mm cable).

- F001B31A001 White
- F001B31A006 Grey
- F001B31A033 Anthracite
- F001B31A030 Black
- F001B31A018 Deep brown

### DIMENSIONS



### CERTIFICATIONS



## Belvedere Clove 2 . Lamps



### Power LED

### Lamp category:

LED

### Socket:

Special base

### Lamp type:

Power LED




### Belvedere Clove 2

designed by Antonio Citterio with Toan Nguyen

100/240V power supply included. Ready for installation on rigid base. Box for ground installation to be ordered separately. Included 2 way terminal block 3 phases IP68 (7-12 mm cable).

- F001B31A001 White
- F001B31A006 Grey
- F001B31A033 Anthracite
- F001B31A030 Black
- F001B31A018 Deep brown

### DIMENSIONS



### CERTIFICATIONS

