

**LANDLORD SPOT Ø40 PWM DIMMABLE**

<b>Beam angle</b>	14° Spot
<b>Mounting</b>	Ground
<b>Lamps description</b>	Power LED: 2,3W - 188 lm ≠ FIXT 130 lm - 2700K/CRI 80 - 24V
<b>Environment</b>	Outdoor
<b>Technical description</b>	IP65 projector for external use made of turned aluminium body and powered at 24V, and available in 2700K, 3000K and 4000K colour temperatures. With reference to the horizontal axis, the spot can be oriented up to 30° down and up to 90° up. Landlord Spots are available in two sizes, ø40 and ø50 head, both equipped with desmontable front ferrule, in order to install flood lens or up to two honeycombs for maximum visual confort. <span>Landlord Spots can be installed on solid ground spikes, with the possibility of an optional picket, on wall base, or on the innovative tree belt, designed to fix the luminaries directly on tree branches.</span>



**Landlord Spot Ø40 PWM Dimmable**

designed by Piero Lissoni

Spot orientable head for installation on ground poles or on wall base. Poles and base to be ordered as separated accessories. Heads are equipped with a dismountable ferrule, to insert flood lens or up to two honeycombs, (to be ordered as separate accessories). 24V remote power supply to be ordered separately. Each head comes with a segment of 2m outgoing cable and a wiring kit.




## ELECTRICAL

<b>Transformer type</b>	Electronic dimmable
<b>Transformer availability</b>	Separate item
<b>Transformer mounting</b>	Remote
<b>Emergency</b>	Without
<b>Voltage (V)</b>	24


## PHYSICAL

<b>Aiming</b>	Adjustable
<b>Weight (kg)</b>	0,30
<b>Number of heads</b>	1



-  F004D21A001 White
-  F004D21A006 Grey
-  F004D21A033 Anthracite
-  F004D21A030 Black
-  F004D21A018 Deep brown
-  F004F21A070 Óxido natural
-  F004F21A071 Óxido negro
-  F004F21A072 Green
-  Product with Pole


## DIMENSIONS



## CERTIFICATIONS




IP
66




## Landlord Spot Ø40 PWM Dimmable .Accessories

### Optical



F004Z0C0000

**Flood lens**



F004Z0B0000

**Honeycomb**




### Landlord Spot Ø40 PWM Dimmable

designed by Piero Lissoni



Spot orientable head for installation on ground poles or on wall base. Poles and base to be ordered as separated accessories. Heads are equipped with a dismountable ferrule, to insert flood lens or up to two honeycombs, (to be ordered as separate accessories). 24V remote power supply to be ordered separately. Each head comes with a segment of 2m outgoing cable and a wiring kit.

- F004D21A001 White
- F004D21A006 Grey
- F004D21A033 Anthracite
- F004D21A030 Black
- F004D21A018 Deep brown
- F004F21A070 Óxido natural
- F004F21A071 Óxido negro
- F004F21A072 Green
- Product with Pole


### DIMENSIONS



### CERTIFICATIONS




### Mounting



F004Z070000

**Tree strap**


Accessory for spot installation directly on three branch, from ø30 mm up to ø100mm.




F004Z060000

**Earth stick**


To be mounted on poles with base.




F004Z040001




F004Z040006




F004Z040033




F004Z040030




F004Z040018



F004Z0A0070



F004Z0A0071



F004Z0A0072

**Wall base**

## Landlord Spot Ø40 PWM Dimmable .Accessories



- F004Z030001
- F004Z030006
- F004Z030033
- F004Z030030
- F004Z030018
- F004Z0F0070
- F004Z0F0071
- F004Z0F0072

### Pole with base H 900 mm

Ready for installation on rigid base. For ground installation, complete with earth stick, to be ordered as separated item.



- F004Z020001
- F004Z020006
- F004Z020033
- F004Z020030
- F004Z020018
- F004Z0E0070
- F004Z0E0071
- F004Z0E0072

### Pole with base H 600 mm

Ready for installation on rigid base. For ground installation, complete with earth stick, to be ordered as separated item.



- F004Z010001
- F004Z010006
- F004Z010033
- F004Z010030
- F004Z010018
- F004Z0D0070
- F004Z0D0071
- F004Z0D0072

### Pole with base H 300 mm

Ready for installation on rigid base. For ground installation, complete with earth stick, to be ordered as separated item.




## Landlord Spot Ø40 PWM Dimmable

designed by Piero Lissoni

Spot orientable head for installation on ground poles or on wall base. Poles and base to be ordered as separated accessories. Heads are equipped with a dismountable ferrule, to insert flood lens or up to two honeycombs, (to be ordered as separate accessories). 24V remote power supply to be ordered separately. Each head comes with a segment of 2m outgoing cable and a wiring kit.

- F004D21A001 White
- F004D21A006 Grey
- F004D21A033 Anthracite
- F004D21A030 Black
- F004D21A018 Deep brown
- F004F21A070 Óxido natural
- F004F21A071 Óxido negro
- F004F21A072 Green
- Product with Pole

## DIMENSIONS



## Landlord Spot Ø40 PWM Dimmable .Lamps



### Power LED

Lamp category:  
LED

Socket:  
Special base

Lamp type:  
Power LED

## CERTIFICATIONS

