

LANDLORD SPOT Ø50 PWM DIMMABLE

Beam angle	8° Spot
Mounting	Ground
Lamps description	Power LED: 3,4W - 251 lm ≠ FIXT 135 lm - 2700K/CRI 80 - 24V
Environment	Outdoor
Technical description	IP65 projector for external use made of turned aluminium body and powered at 24V, and available in 2700K, 3000K and 4000K colour temperatures. With reference to the horizontal axis, the spot can be oriented up to 30° down and up to 90° up. Landlord Spots are available in two sizes, ø40 and ø50 head, both equipped with desmontable front ferrule, in order to install flood lens or up to two honeycombs for maximum visual confort. Landlord Spots can be installed on solid ground spikes, with the possibility of an optional picket, on wall base, or on the innovative tree belt, designed to fix the luminaries directly on tree branches.



Landlord Spot Ø50 PWM Dimmable designed by Piero Lissoni

Spot orientable head for installation on ground poles or on wall base. Poles and base to be ordered as separated accessories. Heads are equipped with a dismountable ferrule, to insert flood lens or up to two honeycombs, (to be ordered as separate accessories). 24V remote power supply to be ordered separately. Each head comes with a segment of 2m outgoing cable and a wiring kit.

ELECTRICAL

Transformer type	Electronic dimmable
Transformer availability	Separate item
Transformer mounting	Remote
Emergency	Without
Voltage (V)	24


PHYSICAL

Aiming	Adjustable
Weight (kg)	0,35
Number of heads	1





- F004E21A001 White
- F004E21A006 Grey
- F004E21A033 Anthracite
- F004E21A030 Black
- F004E21A018 Deep brown
- F004G21A070 Óxido natural
- F004G21A071 Óxido negro
- F004G21A072 Green
- Product with Pole

DIMENSIONS



CERTIFICATIONS



Landlord Spot Ø50 PWM Dimmable .Accessories

Optical



F004Z0H0000

Flood lens



F004Z0L0000

Honeycomb




Landlord Spot Ø50 PWM Dimmable

designed by Piero Lissoni

Spot orientable head for installation on ground poles or on wall base. Poles and base to be ordered as separated accessories. Heads are equipped with a dismountable ferrule, to insert flood lens or up to two honeycombs, (to be ordered as separate accessories). 24V remote power supply to be ordered separately. Each head comes with a segment of 2m outgoing cable and a wiring kit.

Mounting



F004Z070000

Tree strap

Accessory for spot installation directly on three branch, from $\varnothing 30$ mm up to $\varnothing 100$ mm.

F004Z060000

Earth stick

To be mounted on poles
with base.

F004Z04000 I

F004Z040006


F004Z040033

F004Z040030









F004Z040018

F004Z0A0070


F004Z0A007 I

 F004Z0A0072

Wall base

- | | | |
|---|-------------------|---------------|
|  | F004E2IA001 | White |
|  | F004E2IA006 | Grey |
|  | F004E2IA033 | Anthracite |
|  | F004E2IA030 | Black |
|  | F004E2IA018 | Deep brown |
|  | F004G2IA070 | Óxido natural |
|  | F004G2IA071 | Óxido negro |
|  | F004G2IA072 | Green |
|  | Product with Pole | |


DIMENSIONS



CERTIFICATIONS



IP
66



Landlord Spot Ø50 PWM Dimmable . Accessories



- F004Z030001
- F004Z030006
- F004Z030033
- F004Z030030
- F004Z030018
- F004Z0F0070
- F004Z0F0071
- F004Z0F0072

Pole with base H 900 mm

Ready for installation on rigid base. For ground installation, complete with earth stick, to be ordered as separated item.



- F004Z020001
- F004Z020006
- F004Z020033
- F004Z020030
- F004Z020018
- F004Z0E0070
- F004Z0E0071
- F004Z0E0072

Pole with base H 600 mm

Ready for installation on rigid base. For ground installation, complete with earth stick, to be ordered as separated item.



- F004Z010001
- F004Z010006
- F004Z010033
- F004Z010030
- F004Z010018
- F004Z0D0070
- F004Z0D0071
- F004Z0D0072

Pole with base H 300 mm

Ready for installation on rigid base. For ground installation, complete with earth stick, to be ordered as separated item.




Landlord Spot Ø50 PWM Dimmable

designed by Piero Lissoni



Spot orientable head for installation on ground poles or on wall base. Poles and base to be ordered as separated accessories. Heads are equipped with a dismountable ferrule, to insert flood lens or up to two honeycombs, (to be ordered as separate accessories). 24V remote power supply to be ordered separately. Each head comes with a segment of 2m outgoing cable and a wiring kit.

- F004E21A001 White
- F004E21A006 Grey
- F004E21A033 Anthracite
- F004E21A030 Black
- F004E21A018 Deep brown
- F004G21A070 Óxido natural
- F004G21A071 Óxido negro
- F004G21A072 Green
- Product with Pole

DIMENSIONS



CERTIFICATIONS



Landlord Spot Ø50 PWM Dimmable . Lamps



Power LED

Lamp category:
LED

Socket:
Special base

Lamp type:
Power LED