# **FLOS**

## FORT KNOX BASIC TRACK

Number of heads

MountingTrack mountingLamps descriptionQT-14 G9 Max 40W

Voltage (V) 220/240 Environment Indoor



**Light controller description** Protection glass

**Reflector finish** Spun, vacuum-plated aluminum

Aiming Adjustable
Light distribution symmetry Symmetric
Beam angle 89°

## **ELECTRICAL**

Emergency Without Insulation class Class II

## **PHYSICAL**

Height (mm) 130 Spot diameter (mm) 78

Construction material Die-cast aluminum

Weight (kg) 0,22






Fort Knox Basic Track designed by Philippe Starck

Spotlight with main voltage light source to be installed on 3-phase track. Universal adapter integrated

F2483009	White
F2483050	Polished aluminium
F2483030	Black



## **CERTIFICATIONS**
















Flos.architectural@flos.com www.flos.com



#### Fort Knox Basic Track . Accessories

## **Optical**









F2460014

F2460070

Amber filter

F2460035

designed by Philippe Starck

Fort Knox Basic Track

**Blue filter** 

Colored filters in 3 mm Colored filters in 3 mm thick tempered glass thick tempered glass

**Red filter** 

Colored filters in 3 mm thick tempered glass

Spotlight with main voltage light source to be installed on 3-phase track. Universal adapter integrated



F2483009 F2483050

White Polished aluminium

F2483030 Black





F2461000

Flos.architectural@flos.com


I.R. filter

I.R. filter

08.8163.68

**Elliptical lens** 

Elliptical light distribution lens in 4 mm thick tempered glass.



#### **CERTIFICATIONS**
















www.flos.com





#### Fort Knox Basic Track . Accessories

## Mounting





60.3022.11

Recessed box for fixpoint



60.3023.29

**Fix-point** 



Fort Knox Basic Track designed by Philippe Starck

Spotlight with main voltage light source to be installed on 3-phase track. Universal adapter integrated

F2483009 White
F2483050 Polished aluminium
F2483030 Black

# Fort Knox Basic Track . Lamps







60.6616

QT-14 Clear Lamp Watt: 18 W

Lamp category: Halogen mains Socket:

Color temperature (K):

2770 °K

G9

Catalog reference:

60.6616 **Lamp type:** QT-14 60.6617

QT-14 Clear Lamp Watt: 28 W

Lamp category: Halogen mains Socket:

Color temperature (K):

2770 °K

Catalog reference:

60.6617 **Lamp type:** QT-14 60.6595

QT-14 Clear Lamp Watt: 33 W

Lamp category: Halogen mains


Socket: G9

Color temperature (K):

2700 °K

**Catalog reference:** 60.6595

Lamp type: QT-14



# CERTIFICATIONS




















Flos.architectural@flos.com www.flos.com