

ALICUDI

Family of indoor recessed downlight spotlights for accent lighting.

Alicudi is available in various finishes, beam angles and colour temperatures.

Minimal design, soft light without glare and an easy installation procedure make Alicudi the suitable spot able to satisfy any project requirement.



RECESSED EDGE 30° | 2700K

LAMPING

Source	LED spot
Total power	2,5W
Emission	Direct adjustable 30°
Switching	according to driver
Tension	IN 3V-700mA
Color temperature	2700K
Luminous flux	150lm
Typ CRI	> 90
Energy class	G
IP class	20
Dimensions	ø4,1x5,3cm
Notes	driver not included
Accessories	Drivers, Alicudi
Net lamp weight	0,07 kg

Codes

ALI LW2 63
ALI LN2 63

Structure

white
black

PACKAGE


Package 01

Dimension: 42x37,2x19,8 cm / Gross weight: 0,09 kg

Certificazioni



TRIMLESS



TRIM



RECESSED EDGE 30° | 3000K

LAMPING

Source	LED spot
Total power	2,5W
Emission	Direct adjustable 30°
Switching	according to driver
Tension	IN 3V-700mA
Color temperature	3000K
Luminous flux	150lm
Typ CRI	> 90
Energy class	G
IP class	20
Dimensions	ø4,1x5,3cm
Notes	driver not included
Accessories	Drivers, Alicudi
Net lamp weight	0,07 kg

Codes

ALI LW3 63
ALI LN3 63

Structure

white
black

PACKAGE


Package 01

Dimension: 42x37,2x19,8 cm / Gross weight: 0,09 kg


Certificazioni



TRIMLESS



TRIM



RECESSED TRIM 30° | 2700K

LAMPING

Source	LED spot
Total power	2,5W
Emission	Direct adjustable 30°
Switching	according to driver
Tension	IN 3V-700mA
Color temperature	2700K
Luminous flux	150lm
Typ CRI	> 90
Energy class	G
IP class	20
Dimensions	ø4,1x5,3cm
Notes	driver not included
Accessories	Drivers, Alicudi
Net lamp weight	0,07 kg

Codes

ALT LW2 63
ALT LN2 63

Structure

white
black

PACKAGE


Package 01

Dimension: 42x37,2x19,8 cm / Gross weight: 0,09 kg


Certificazioni



TRIMLESS



TRIM



RECESSED TRIM 30° | 3000K

LAMPING

Source	LED spot
Total power	2,5W
Emission	Direct adjustable 30°
Switching	according to driver
Tension	IN 3V-700mA
Color temperature	3000K
Luminous flux	150lm
Typ CRI	> 90
Energy class	G
IP class	20
Dimensions	ø4,1x5,3cm
Notes	driver not included
Accessories	Drivers, Alicudi
Net lamp weight	0,07 kg

Codes

ALT LW3 63
ALT LN3 63

Structure

white
black

PACKAGE


Package 01

Dimension: 42x37,2x19,8 cm / Gross weight: 0,09 kg

Certificazioni



TRIMLESS



TRIM

