
# IN THE WIND PENDANT HORIZONTAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in diecasted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.



# LED 2700K

### **LAMPING**

Source linear LED Total power 58W

Emission diffused, 360°
Switching dimmable, DALI push

Tension 230V Color temperature 2700K

Luminous flux 2850lm (source luminous flux)

Typ CRI 85 Energy class A+

Materials aluminium + PC

Notes metal cable length 3m, electric cable length 5m, also

available in 120V, TRIAC VERSION on request

Net lamp weight 4 kg

Codes Structure/Diffuser


ITW LWW 56
ITW LNW 56
ITW LGW 56
ITW LDW 56

**PACKAGE** 

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni





## LED 3000K

### **LAMPING**

Source linear LED Total power 58W

Emission diffused, 360°
Switching dimmable, DALI push

Tension 230V Color temperature 3000K

Luminous flux 2850lm (source luminous flux)

Typ CRI 85 Energy class A+

Materials aluminium + PC

Notes metal cable length 3m, electric cable length 5m, also

available in 120V

Net lamp weight 4 kg

Codes Structure/Diffuser

ITW LWW 57 white/white
ITW LNW 57 black/white
ITW LGW 57 gold/white
ITW LDW 57 titan grey/white

**PACKAGE** 

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni



