



## SLV AVO CW Single

Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W



Article number	1000886
Feed-in capability	No
Lampholder / Socket	GU10
Number of light sources	1
Lamp included	No
Tilt range	90 Degree
Rotation range	320 Degree
Length	8 cm
Width	11.5 cm
Height	9.5 cm
Net weight	0.22 kg
Gross weight	0.235 kg
Voltage	230V ~50Hz
Max. wattage	50 Watt
Protection class	I
Energy efficiency class	A++
Way of mounting	Surface mounted / Ceiling mounted / Wall mounted
Lamp	QPAR51
Colour	black
Form	others
Light distribution type	direct
1	
Material	Metal

Articles of this series

1000834	SQUARE WL, LED Outdoor surface-mounted wall light, IP44, stainless steel 316, 3000K
1000835	SQUARE C LED, LED Outdoor surface-mounted ceiling light, IP44, stainless steel 316, 3000K
1000887	AVO CW Single, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000888	AVO CW Single, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1000889	AVO CW Double, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000890	AVO CW Double, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000891	AVO CW Double, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1000892	AVO CW Triple, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000893	AVO CW Triple, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000894	AVO CW Triple, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1000895	AVO CW Quad, Indoor surface-mounted wall and ceiling light, QPAR51, black, max. 50W
1000896	AVO CW Quad, Indoor surface-mounted wall and ceiling light, QPAR51, white, max. 50W
1000897	AVO CW Quad, Indoor surface-mounted wall and ceiling light, QPAR51, silver, max. 50W
1001250	VALETO® LED PANEL, LED Indoor recessed ceiling light, 600x600mm, UGR<19
1001251	VALETO® LED PANEL, LED Indoor recessed ceiling light, 620x620mm, UGR<19
1001272	FENDA Basis, WL, Indoor surface-mounted wall light, E27, max. 40W, white
1001443	I-VIDUAL PANEL 600x600, LED Indoor recessed ceiling light, UGR<19 3000K
1001444	I-VIDUAL PANEL 600x600, LED Indoor recessed ceiling light, UGR<19 4000K

---

1001445 I-VIDUAL PANEL 620x620, LED Indoor recessed ceiling light, UGR<19 3000K

---

1001446 I-VIDUAL PANEL 620x620, LED Indoor recessed ceiling light, UGR<19 4000K

---

1001495 KARPO 30 CW, LED Indoor surface-mounted wall and ceiling light, single black 3000K dimmable

---

1001496 KARPO 30 CW, LED Indoor surface-mounted wall and ceiling light, single white 3000K dimmable

---

1001274 FENDA half shade, black/copper

---

1001275 FENDA half shade, white

---

1001276 FENDA half shade, beige

---

1001277 FENDA, wall light shade, semicircular, yellow

---

1001278 FENDA, wall light shade, semicircular, green

---

1001279 FENDA, wall light shade, semicircular, wine red

---

1001280 FENDA, wall light shade, semicircular, pink

---

1001281 FENDA, wall light shade, semicircular, blue

---

The wall and ceiling lights in the AVO series, with one to four adjustable lamp heads fitted to the canopy. The luminaire is made of aluminium and, thanks to the GU10 socket, is suitable for both halogen and LED lamps. The electrical connection of the luminaire, which comes in various colours, is made directly to the 230V mains supply. This luminaire is compatible with bulbs in energy classes: E - A++

## Notes

---

---

---