

# TUNNEL

LIGHTING | Indoor  
FEDERICO PERI



Tunnel, the elegant lamp collection designed by Federico Peri for Baxter, interprets light with a welcoming design and curved lampshades in vibrant and original colours. Available as pendant and wall lamps, the elegantly curved methacrylate designs create a sinuous inverted U-shape that emits a warm, welcoming light. The understated elegance of the design is elevated by brass details finished in a matt satin. Tunnel pendant and wall lamps offer a versatile aesthetic experience, ideal for illuminating large spaces such as dining rooms, open-plan living areas, offices, and hotels.



**Model:** lamp with LED light source. Assembly required.

**Structure:** 8 mm thick lampshade in printed curved methacrylate.

**Decoration:** piping and details in satin brass-plated metal with matt varnish.

Specify the chosen dimmeration in the order.

AVAILABLE FINISHES

MATERIALS



Ice Methacrylate

---

Wall light.

L	P	H	
26	20	150	cm
W	D	H	
10.25	7.75	58.5	inch

150 cm  
58 1/2 inch

26 cm  
10 1/4 inch

20 cm  
7 7/8 inch

2700K LED strip – 20W/MT. 110/240 V – 24V power supply. 3600 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.

PHASE CUT with surcharge and remote power supply.


Specify the chosen dimmeration in the order.

---

---

Wall light.

L	P	H	
14	12	80	cm
W	D	H	
5.5	4.75	31.25	inch



2700K LED strip – 20W/MT. 110/240 V – 24V power supply. 1920 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.


PHASE CUT with surcharge and remote power supply.

**Specify the chosen dimmeration in the order.**

---

Hanging lamp.

L	P	H	
150	33	36	cm
W	D	H	
58.5	12.75	14	inch



2700K lower LED strip – 14W/MT. 110/240V – 24V power supply. 2250 lumens.

2700K upper LED strip that energises methacrylate – 20W/MT. 110/240V – 24V power supply. 3600 lumens.

Dimming: 1-10 standard power supply already compatible.

DALI with surcharge.

PHASE CUT with surcharge.

**Specify the chosen dimmeration in the order.**