




Titan Led projector 9W, 4000K, 36° reflector, driver included

Titan Led projector 9W, 4000K, 36° reflector, driver included



Descrizione/Description



IT: Adjustable outdoor light fitting with a typical linear and functional design, entirely made of stainless steel. The faceted specular reflector for different light beams makes it versatile to use, both for spot lighting of monuments and facades and for gardens and outdoor architecture. Body and closure ring in AISI 304 stainless steel, transparent tempered glass, silicone rubber gasket. Facetted specular reflector for 36° / 24° / 12° light beam. Supplied complete with integrated driver.

ENG: Adjustable outdoor light fitting with a typical linear and functional design, entirely made of stainless steel. The faceted specular reflector for different light beams makes it versatile to use, both for spot lighting of monuments and facades and for gardens and outdoor architecture. Body and closure ring in AISI 304 stainless steel, transparent tempered glass, silicone rubber gasket. Facetted specular reflector for 36° / 24° / 12° light beam. Supplied complete with integrated driver.

Codice/Code

NTI.4702.157.00


Tonalità/Light tone

4000K

Potenza/Power

9W

Fusso luminoso/Luminous flux	501 lm - 1000 lm
Fascio luminoso/Light beam	Beam 36°
Driver/Driver	Driver On/Off



Accessori/Accessories



AAA.CN3000.00
IP68 waterproof connector, 3 ways.

AAA.CN3000.00
IP68 waterproof connector, 3 ways.



AAA.CN4000.00
IP68 waterproof connector - 4 ways.

AAA.CN4000.00
IP68 waterproof connector - 4 ways.



NTI.SP00.000.00
Titan inox spike

NTI.SP00.000.00
Titan inox spike