


Flo Grommet F46

Foster+Partners, 2012







A light fitting in aluminium and steel, to be mounted on surfaces like desks, shelves, etc. with an arm pivoting on its base by 120°. Its head rotates by 300°. Lighting source is 6W-LED, which you can switch on with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.



TECHNICAL DATAS	Product Name (code)	Flo Grommet F46 (960)
	Certificates	
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	1 x 6W-LED [3000K • 475lm]
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug feeder)</i>
	Insulation Class	III
	Protection Class	IP20
	Packaging	0,024m³ - 1,6Kg

COLOURS										
	Black Soft-touch	Matt White	Matt Red	Matt Yellow	Matt Orange	Matt Cyan	Matt Green	Metallic Bronze	Gunmetal	Brushed Nickel


FAMILY				
	Flo Bedside	Flo Desk	Flo Lounge	Flo Floor
				
		Flo Wall	Flo Grommet	Flo Clamp

Flo Grommet F20

Foster+Partners, 2012






A light fitting in aluminium and steel, to be mounted on surfaces like desks, shelves, etc. with an arm pivoting on its base by 120°. Its head rotates by 300°. Lighting source is 6W-LED, which you can switch on with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.



TECHNICAL DATAS	Product Name (code)	Flo Grommet F20 (962)
	Certificates	
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	1 x 6W-LED [3000K • 475lm]
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) (fittings come with appropriate plug feeder)
	Insulation Class	III
	Protection Class	IP20
	Packaging	0,024m³ - 1,6Kg

COLOURS										
	Black Soft-touch	Matt White	Matt Red	Matt Yellow	Matt Orange	Matt Cyan	Matt Green	Metallic Bronze	Gunmetal	Brushed Nickel


FAMILY				
	Flo Bedside	Flo Desk	Flo Lounge	Flo Floor
				
		Flo Wall	Flo Grommet	Flo Clamp

Flo Grommet for USM table


Foster+Partners, 2016

Light fitting in aluminium and steel especially designed for USM products, to be mounted on "Haller" or "Kitos" tables, or to be matched with USM adaptors. The arm pivots on its base by 120°, the head rotates by 300°. Lighting source is 6W-LED, which you can switch with one click for full light intensity, with two clicks for half light intensity.

The maximum energy absorption is 8W.








USM Haller Table *Plus/Advanced*
USM Kitos Table *Plus/Advanced*
USM Adapter 17515



TECHNICAL DATAS	Product Name (code)	Flo Grommet for USM (954)
	Certificates	
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	1 x 6W-LED [3000K • 475lm]
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug feeder)</i>
	Insulation Class	III
	Protection Class	IP20
	Packaging	0,024m³ - 1,6Kg



COLOURS										
	Black Soft-touch	Matt White	Matt Red	Matt Yellow	Matt Orange	Matt Cyan	Matt Green	Metallic Bronze	Gunmetal	Brushed Nickel

FAMILY				
	Flo Bedside	Flo Desk	Flo Lounge	Flo Floor
				
		Flo Wall	Flo Grommet	Flo Clamp


Flo Grommet L for USM table

Foster+Partners, 2016

Light fitting in aluminium and steel especially designed for USM products, to be mounted on "Haller" tables, thanks to a lamp peg. It comes with longer arms than the standard Flo Grommet (46 cm + 42 cm). The arm pivots on its base by 120°, the head rotates by 300°. Lighting source is 6W-LED, which you can switch with one click for full light intensity, with two clicks for half light intensity. The maximum energy absorption is 8W.









USM Haller Lamp peg shifted
for USM Haller Table 16233
USM Lamp peg 15065



TECHNICAL DATAS	Product Name (code)	Flo Grommet for USM/Large (956)
	Certificates	
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	1 x 6W-LED [3000K • 475lm]
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) (fittings come with appropriate plug feeder)
	Insulation Class	III
	Protection Class	IP20
	Packaging	0,024m³ - 1,6Kg

COLOURS										
	Black Soft-touch	Matt White	Matt Red	Matt Yellow	Matt Orange	Matt Cyan	Matt Green	Metallic Bronze	Gunmetal	Brushed Nickel

FAMILY				
	Flo Bedside	Flo Desk	Flo Lounge	Flo Floor
				
		Flo Wall	Flo Grommet	Flo Clamp