


SPECIFICATIONS



DAHLIA Small

suspended light fixture

Collection

Dahlia

Materials

Anodized aluminium

Lighting

Europe (240V) | 12V on request

LED spot: 12V; 11W; 620lm; dimmable

LED strip: 12V; 15W; 1750lm; dimmable

total wattage: 25W

total lumens: 2370lm (est.)

color temp. 2700k

Dimensions

Height: 180 mm

Diameter: 1000 mm

Suspension

Delivered with 3 meter long stainless steel suspension cable set.

USA & Canada (120V) | 12V

LED spot: 12V; 11W; 620lm; dimmable

LED strip: 12V; 15W; 1750lm; dimmable

total wattage: 25W

total lumens: 2370lm (est.)

color temp. 2700k

Weight

3kg / 6.6lb

custom lengths upon request.

Canopy

Included
size: 50mm x Ø160mm

Usage

indoor

Certification

Europe:



USA & Canada:

low voltage in combination with
UL driver



Dimming*

0 - 10V, DALI, conventional / phase cut

* specify dimming system, available for purchase

Remarks


Delivered assembled.

Driver included.

Canopy matching color
(specify otherwise).

Accessories see price list.

SPECIFICATIONS



DAHLIA Medium

Collection

Dahlia

Materials

Anodized aluminium

Lighting

Europe (240V) | 12V on request

LED spot: 12V; 11W; 620lm; dimmable

LED strip: 12V; 15W; 1750lm; dimmable

total wattage: 25W

total lumens: 2370lm (est.)

color temp. 2700k

Dimensions

Height: 220 mm

Diameter: 1500 mm

Suspension

Delivered with 3 meter long stainless steel suspension cable set.

USA & Canada (120V) | 12V

LED spot: 12V; 11W; 620lm; dimmable

LED strip: 12V; 15W; 1750lm; dimmable

total wattage: 25W

total lumens: 2370lm (est.)

color temp. 2700k

Weight

4,5kg / 10lb

custom lengths upon request.

Canopy

Included
size: 50mm x Ø160mm

Usage

indoor

Certification

Europe:



USA & Canada:

low voltage in combination with
UL driver



Dimming*

0 - 10V, DALI, conventional / phase cut

* specify dimming system, available for purchase

Remarks


Delivered assembled.

Driver included.

Canopy matching color
(specify otherwise).

Accessories see price list.

SPECIFICATIONS



DAHLIA Medium

wall fixture

Collection

Dahlia

Materials

Anodized aluminium

Dimensions

Diameter: 1000 mm
Depth: 220 mm

Certification

Europe:
CE

USA & Canada:
low voltage in combination with
UL driver
UL SR

Lighting

Europe (240V) | 12V on request
light source: 12V LED strip, dimmable
wattage: 15W
lumens: 1750lm (est.)
color temp. 2700k

USA & Canada (120V) | 12V
light source: 12V LED strip, dimmable
wattage: 15W
lumens: 1750lm (est.)
color temp. 2700k

Weight

4,5kg / 10lb

Usage

indoor

Dimming*

0 - 10V, DALI, conventional / phase cut

* specify dimming system, available for purchase

Remarks

Delivered assembled.
Driver included.
Accessories see price list.