

Olympic 3






Olympic 3

IP55
Class 1

Aluminium
Frosted tempered glass diffuser

SOURCES



LED 28W - 3000K warm white
LED 28W - 4500K neutral white
E27 - 23W max Ø66 mm - H145 mm max
E27 PAR30 - 75W max
G12 IM on request



LED 28W
Real light output - 1303 lm
CRI > 80

MODELS

height / width / depth



Olympic 3

REFERENCES

Replace **•••** with the colour code

MODELS	E27	E27 PAR30	LED 28W 3000K warm white	LED 28W 4500K neutral white
1	144 001 •••	144 002 •••	144 005 •••	144 004 •••
2	144 006 •••	144 007 •••		
3	144 008 •••	144 009 •••		
4	144 010 •••	144 011 •••	144 014 •••	144 013 •••
5	144 015 •••	144 016 •••	144 019 •••	144 018 •••
6	144 020 •••	144 021 •••	144 024 •••	144 023 •••
7	144 025 •••	144 026 •••		

COLOURS CODES

Replace **•••** with the colour code

	RAL 7021 BLACK GREY	107
	DARK GREY	006
	SLATE GREY	059
	METAL GREY	023
	WHITE	001
	LIMESTONE	053
	RAL 3013 TOMATO RED	110
	OLD RUSTIC	046

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 5 to 7) p. 318

