



Naomi Morsetto






Yaacov Kaufman, 2001

Adjustable lamp in aluminium on a clamp-base with 3m long feeding cable. The clamp is suitable for surfaces up to 52mm thickness.



TECHNICAL DATAS	Product Name (code)	Naomi Morsetto (329)
	Certificates	CE
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	MAX 60W I - 75W HAL - E27/E26 (not included)
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug)</i>
	Insulation Class	II
	Protection Class	IP20
	Packaging	0,001m³ - 0,7Kg


COLOURS	
	Anodised Aluminium

FAMILY				
	Naomi	Naomi Terra	Naomi Head	
				


Naomi Parete






Yaacov Kaufman, 2001

Adjustable wall lamp in aluminium with 3m long feeding cable.



TECHNICAL DATAS	Product Name (code)	Naomi Parete (330)
	Certificates	CE
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	MAX 60W I - 75W HAL - E27/E26 (not included)
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug)</i>
	Insulation Class	II
	Protection Class	IP20
	Packaging	0,001m³ - 0,7Kg


COLOURS	
	Anodised Aluminium

FAMILY				
				
	Naomi	Naomi Terra	Naomi Head	


Naomi Pinza




Yaacov Kaufman, 2001

Adjustable clip-on lamp in aluminium, with 3m long feeding cable. The clip is suitable for surfaces between 10mm and 50mm.



TECHNICAL DATAS	Product Name (code)	Naomi Pinza (328)
	Certificates	CE
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	MAX 60W I - 75W HAL - E27/E26 (not included)
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate plug)</i>
	Insulation Class	II
	Protection Class	IP20
	Packaging	0,001m³ - 0,7Kg

COLOURS	
	Anodised Aluminium

FAMILY			
	Naomi	Naomi Terra	Naomi Head
			