

## Kite

ref. **KT04G**

Pendant lamp

Lámpara colgante

[Click here to download:](#)

3D/2D, pictures, photometric curves  
and assembly instructions

Clica aquí para descargar:

3D/2D, fotografías, curvas fotométricas  
e instrucciones de montaje

SIMETECH® by arturo alvarez

INTERIOR  
DESIGN  
**BEST  
OF  
YEAR 2014**

Innovative translucent shading  
lighting solution




150cm | 59,1in


9cm | 3,5in

133 x 119cm | 52,4 x 46,8in [diagonal]


### Kite Collection




KT04



KT04G



KT06



KT06G

### MATERIAL FINISHES MATERIALES Y ACABADOS


#### LAMPSHADE

##### TULIPA

SIMETECH® by arturo alvarez

One color to choose

Un color a elegir



Painted steel  
Acero pintado

#### SUPPORT AND CABLE

##### SOPORTE Y CABLE

Stainless steel  
Acero inoxidable

Transparent cable  
Cable transparente

### LIGHT SOURCE FUENTE DE LUZ

#### 230V - 50Hz

⇐ G5 - Max. 4x24 W

#### 120V - 60Hz

⇐ T5 HO Bi-pin - 4x24 W

### ENERGY EFFICIENCY EFICIENCIA ENERGÉTICA

from A+ to B  
desde A+ a B

### OTHER TECHNICAL DATA OTROS DATOS TÉCNICOS

#### PACKAGING

##### EMBALAJE

100x100x12cm | 39,4x39,4x4,7in

10,4kg | 22,9lb

#### ELECTRICAL FEATURES

##### CARACTERÍSTICAS ELÉCTRICAS



#### CERTIFICATIONS

##### CERTIFICACIONES



# Kite

ref. **KT04G**

Suitable for indoor use, at 25°C

Apta para uso interior a temperatura ambiente de 25°C

Box contains | Contenido de la caja:

**A** - Lampshade | Tulipa [1]




**B** - Frame | Soporte [1]

**C** - Screws | Tornillos [4]

**D** - Wall Plugs | Tacos [4]

**E** - Electrical disposal | Ficha [1]


**F** - Tie Rod | Tensor [4]



## 1

1.1. Drill the holes, fit the wall plugs into them and fix the metallic frame to the ceiling.  
1.2. a) Screw the tie rod. b) Loosen the security nut and introduce the steel wire. c) Tighten the security nut. In order to remove the cable from the tension loosen the nut, to push it upwards and to throw of the cable.

1.1. Hacer los agujeros, colocar los tacos y fijar la pieza metálica al techo.  
1.2. a) Enroscar el tensor. b) Aflojar la tuerca de seguridad e introducir el cable de acero. c) Apretar la tuerca de seguridad. Para sacar el cable del tensor aflojar la tuerca, empujarla hacia arriba y tirar del cable.





1.1

## 2

Pass the electric cables to the interior and do the electric connection, please follow the instructions.

Pasar los cables eléctricos al interior y hacer la conexión eléctrica dentro de la caja de conexiones, siguiendo las instrucciones.





### 3

Once you complete all the steps, this image should be the final appearance.

Una vez completados todos los pasos, esta imagen sería el aspecto final de la lámpara.