

Struttura in metallo verniciato.  
Illuminazione a LED.


Painted metal frame.  
LED Lighting.

Gestell aus lackiertem Metall.  
LED-Beleuchtung.

Structure en métal peint.  
LED éclairage.

СТРУКТУРА ИЗ ОКРАШЕННОГО МЕТАЛЛА.  
СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

## Finishings



**V95** Bianco opaco  
Matt white



**V90** Nero opaco  
Matt black



**V99** Oro opaco verniciato  
Painted matt gold



**V55** Carta da zucchero  
Mid Blue



**V24** Zucca  
Pumpkin

## Family

### Ceiling




### Suspension




### Applique




### Table lamp



## Standard cables for all suspensions




**VOLLEE S1 G**



**L** 52 cm / 20.47"  
**SP** 36 cm / 14.17"  
**H** 88 cm / 34.65"

LED x 7,5 W CRI>90  
 3000 K - 915 Nominal lm  
**Dimmable:** NO


**VOLLEE S1 P DOWN**



**L** 25 cm / 9.84"  
**SP** 17,5 cm / 6.89"  
**H** 44 cm / 17.32"

LED x 6,6 W CRI>90  
 3000 K - 825 Nominal lm  
**Dimmable:** NO


**VOLLEE S1 P UP**



**L** 25 cm / 9.84"  
**SP** 17,5 cm / 6.89"  
**H** 44 cm / 17.32"


LED x 6,6 W CRI>90  
 3000 K - 825 Nominal lm  
**Dimmable:** NO

**VOLLEE C4 G**




LED x 25,6 W CRI>90  
 3000 K - 3200 Nominal lm  
**Dimmable:** 1-10V + PUSH

**VOLLEE C2+2**




LED x 25,6 W CRI>90  
 3000 K - 3200 Nominal lm  
**Dimmable:** 1-10V + PUSH

**VOLLEE C5 P**




LED x 31 W CRI>90  
 3000 K - 3900 Nominal lm  
**Dimmable:** 1-10V + PUSH + DALI


**VOLLEE C4 G**




**VOLLEE C 2+2**




**VOLLEE C5 P**



**VOLLEE C5 P X4**




Ⓜ : for the US market, refer to the relevant price list.

**VOLLEE C2G LN 75**  


**L** 75 cm / 29.52"  
**SP** 20 cm / 7.87"  
**H max** 240 cm / 94.48"

LED x 12,8 W CRI>90  
 3000 K - 1600 Nominal lm  
**Dimmable:** 1-10V + PUSH

**VOLLEE C4P LN 125**  


**L** 125 cm / 49.21"  
**SP** 20 cm / 7.87"  
**H max** 200 cm / 78.74"

LED x 25,6 W CRI>90  
 3000 K - 3200 Nominal lm  
**Dimmable:** 1-10V + PUSH

**VOLLEE C4G RD 60**  


**Ø** 60 cm / 23.62"  
**H max** 240 cm / 94.48"

LED x 25,6 W CRI>80  
 3000 K - 3200 Nominal lm  
**Dimmable:** 1-10 V + PUSH

**VOLLEE C4P RD 60**  

**Ø** 60 cm / 23.62"  
**H max** 200 cm / 78.74"

LED x 25,6 W CRI>90  
 3000 K - 3200 Nominal lm  
**Dimmable:** 1-10 V + PUSH

**VOLLEE C8P RD 80**  



**Ø** 80 cm / 31.49"  
**H max** 200 cm / 78.74"

LED x 52,8 W CRI>90  
 3000 K - 6600 Nominal lm  
**Dimmable:** 1-10 V + DALI + PUSH

**VOLLEE PL1 P**



**VOLLEE PL1 G**




.....  
**L** 25 cm / 9.84"  
**SP** 17.5 cm / 6.89"  
**H** 22.5 cm / 8.86"  
 .....

.....  
**L** 52 cm / 20.47"  
**SP** 36 cm / 14.17"  
**H** 48 cm / 18.90"  
 .....

LED x 5 W CRI>80 - 220V  
 3000 K - 410 Nominal lm  
**Dimmable:** TRIAC

LED x 5 W CRI>80 - 220V  
 3000 K - 410 Nominal lm  
**Dimmable:** TRIAC

**VOLLEE A1 P****VOLLEE TL**

L 17.5 cm / 6.89"

SP 22.5 cm / 8.86"

H 25 cm / 9.84"

LED x 5 W CRI>80 - 220V

3000 K - 410 Nominal lm

Dimmable: TRIAC

L 25 cm / 9.84"

SP 17.5 cm / 6.89"

H 23 cm / 9.05"

LED x 5 W CRI>80 - 220V

3000 K - 410 Nominal lm

Dimmable: OWN BUTTON