Calathea Aurea Large

REFERENCE CT3429/40



DESCRIPTION

Born out of the dense and untamable tropical forests, the Calathea plant serves as the inspiration for Serip's new collection, to which it also lends its name, its elegance, and its graciousness. Calathea represents the gentil and delicate movement but imbued with the vital energy that runs through every element of Nature, making them unique. Serip's Calathea pieces are symbols of connection to Earth, to the origin of all Life touches, and, at the same time, embody the luminosity that we need so we can discover the trail that will lead us to the equilibrium, to harmony, to what is beyond ourselves, to a new beginning.

Finish shown here Metal FO | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Diameter 155.00cm / 60.50in

Height 35.00cm / 13.70in

OAH Overall Heigth Min 45.00cm / 17.60in

OAH Overall Heigth Max 330.00cm / 128.70in

Weight 61.00kg / 134.20lb

PACKAGE SIZE & WEIGHT
(m)Package 1/2 1.70m x 0.77m x 1.70m
=2.23CBM
(in)Package 1/2 66.94in x 30.32in x 66.94in
=78.75ft³

ELECTRIC FEATURE

Installation Ceilling IP degree IP20

220-240V 50Hz-60Hz Max Power Consuption 62W Light Sources 40 x LED

Included Sources
Light Sources
40 x LED
Lumens 7200Im
Kelvin 3000
CRI 80
Dimming system K

110-120V 50Hz-60hZ Max Power Consuption 62W Light Sources 40 x LED

Included Sources
Light Sources
40 x LED
Lumens 7200Im
Kelvin 3000
CRI 80
Dimming system K

CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our <u>technical department</u> with any queries.

ENERGY RATING

This luminaire allows lights sources with energy efficiency class




OPTIONAL FINISHES

GLASS FINISHES



Clear (10)
METAL FINISHES



7

Black (PR)