# SERIP

### Coral Royal Emperior Medium

REFERENCE CT3300/12



### DESCRIPTION

Inspired by the beauty and natural complexity of coral reef shapes, the Coral Collection stands as a dense structure of intertwined metal branches aiming for a faithful representation of its nature and visual impact. The glass pieces fall into the glimpse of marine organisms in a visual combination of great impression. Dense and robust, this collection integrates a complex system of detail aiming for a differential presence. Ideal for areas of extensive height and open for complex patterned details.

Finish shown here Metal FO | Glass 10


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### **TECHNICAL DRAWING**



85cm

## SERIP

### **TECHNICAL SPECIFICATIONS**

### MEASUREMENTS

FIXTURE SIZE & WEIGHT Diameter 85.00cm / 33.00in Height 110.00cm / 43.00in OAH Overall Heigth Min 115.00cm / 45.00in OAH Overall Heigth Max 410.00cm / 161.00in Weight 32.00kg / 71.00lb

PACKAGE SIZE & WEIGHT (m)Package 1/2 0.95m x 1.40m x 0.95m =1.26CBM (in)Package 1/2 0.37in x 0.55in x 0.37in =44.50ft<sup>3</sup> ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 480W Light Sources 12 x G9 Max 40W

Included Sources Light Sources 12 x G9 LED 2W Lumens 2760lm Kelvin 3000 CRI 80

Optional Sources Light Sources 12 x G9 LED 4W Lumens 3840lm Kelvin 2700 CRI 80

110-120V 50Hz-60hZ Max Power Consuption 480W Light Sources 12 x G9 Max 40W

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.


Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.


#### This lumina

ENERGY RATING

This luminaire allows lights sources with energy efficiency class




### CERTIFICATIONS





**OPTIONAL FINISHES** 



Talha (TA)

SERIP