
Glamour Blizzard

REFERENCE CT3374/10



DESCRIPTION

Inspired by Winter nature, where trees become sculptures of icy drops. Following a vertical and horizontal visual guide, the Glamour Collection represents winter's nature where trees turn into ice sculptures. These lighting installations with inherent organic presence spread downwards and along with ceilings and walls, being able to be an effectively adaptable piece in any interior. Regardless of the model design, the collection exposes an interesting dualism of weights and materials, in a varied range of chromatic and finishing options to be chosen for each project. The possibility to create any kind of colour combination opens the way to a versatile outcome, establishing a limitless key-piece. Ideal for areas where vertical and horizontal majestic extensions are possible.

Finish shown here Metal FP | Glass 06 + 10 + 15


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT Width 50.00cm / 20.00in Height 60.00cm / 24.00in Lenght 140.00cm / 55.00in

OAH Overall Heigth Min 70.00cm / 28.00in OAH Overall Heigth Max 335.00cm / 132.00in

Weight 27.00kg / 60.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.63m x 0.77m x 1.70m =0.82CBM

(in)Package 1/2 0.25in x 0.30in x 0.67in $=29.00ft^{3}$

ELECTRIC FEATURE

IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 400W **Light Sources**

Included Sources **Light Sources**

10 x G9 Max 40W

10 x G9 LED 2W Lumens 2300lm Kelvin 3000 **CRI** 80

Optional Sources Light Sources 10 x G9 LED 3W Lumens 3000lm Kelvin 3000 **CRI** 80

110-120V 50Hz-60hZ **Max Power Consuption 250W Light Sources**

10 x G9 Max 25W

CARE INSTRUCTIONS


Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

Installation Ceilling



efficiency class

ENERGY RATING



This luminaire allows lights sources with energy

CERTIFICATIONS












OPTIONAL FINISHES

GLASS FINISHES





The state of the s

Talha (TA)