Glamour Hoarfrost

REFERENCE CT3264/12



DESCRIPTION

Inspired by Winter nature, where trees become sculptures of icy drops. Following a vertical and horizontal visual guide, the Glamour Collection represents winter's nature where trees turn into ice sculptures. These lighting installations with inherent organic presence spread downwards and along with ceilings and walls, being able to be an effectively adaptable piece in any interior. Regardless of the model design, the collection exposes an interesting dualism of weights and materials, in a varied range of chromatic and finishing options to be chosen for each project. The possibility to create any kind of colour combination opens the way to a versatile outcome, establishing a limitless key-piece. Ideal for areas where vertical and horizontal majestic extensions are possible.

Finish shown here Metal FP | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT Width 65.00cm / 26.00in Height 70.00cm / 28.00in Lenght 110.00cm / 43.00in

OAH Overall Heigth Min 95.00cm / 37.00in OAH Overall Heigth Max 340.00cm / 134.00in Light Sources Weight 20.00kg / 44.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.90m x 0.94m x 1.90m =1.61CBM

(in)Package 1/2 0.35in x 0.37in x 0.75in =56.80ft³

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz Max Power Consuption 480W 12 x G9 Max 40W

Included Sources Light Sources 12 x G9 LED 2W Lumens 2760lm Kelvin 3000 **CRI** 80

Optional Sources Light Sources 12 x G9 LED 3W Lumens 3600lm Kelvin 3000 **CRI** 80

110-120V 50Hz-60hZ Max Power Consuption 480W **Light Sources** 12 x G9 Max 40W

CERTIFICATIONS











CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.


Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

ENERGY RATING


This luminaire allows lights sources with energy efficiency class



OPTIONAL FINISHES

GLASS FINISHES





The state of the s

Talha (TA)