Luna Orbit Corner Small

REFERENCE AP1463



DESCRIPTION

By the full moon contrasting light arises the Luna Collection, modern compositions with multiple rings of diffuse lighting. Designed under a mystical criteria of patterns, the circular pieces assume a position of high contrast and revolving texture, details that incorporate them as distinctive and eccentric, a bold choice in an interior design concept. Ideal for decorative patterns in walls of modern interior concepts.

Finish shown here Metal TA | Glass 10


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT Height 35.00cm / 14.00in Depth 5.00cm / 2.00in Lenght 26.00cm / 10.00in Weight 5.00kg / 11.00lb

PACKAGE SIZE & WEIGHT (m)Package 1/2 0.64m x 0.46m x 0.64m =0.19CBM (in)Package 1/2 0.25in x 0.18in x 0.25in

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

Max Power Consuption 8W

Lumens 495lm **CRI** 80

110-120V 50Hz-60hZ Max Power Consuption 8W

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

220-240V 50Hz-60Hz



Kelvin 3000

CERTIFICATIONS



=6.70ft³







ENERGY RATING

This luminaire allows lights sources with energy efficiency class



OPTIONAL FINISHES

GLASS FINISHES

































Copper (CO)

Silver (FP)

Silver/White Patina (FP/PB)

Lead (CH)

Palladium (PL)

Black (PR)

Gold/White Patina (FO/PB)

Gold (FO)



Talha (TA)