SERIP

Waterfall Cascade Triple

REFERENCE CT3303/30



DESCRIPTION

Inspired by the movement of the flow of a waterfall that has an intrinsic verticality, the Waterfall collection plays with the duality of visually dense glass pieces and the minimalism of its bronze structure. The glasses in the collection are presented as fragments of water suspended and immobilized, and there are a wide variety of chromatic options, a feature that combined with the different colour finishes that can be applied to bronze makes it possible to combine decorative elements of various shades with a magnanimity that collection can bring to a space.

Finish shown here Metal CH | Glass 10+39+42


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

MEASUREMENTS

FIXTURE SIZE & WEIGHT Diameter 145.00cm / 57.00in Height 245.00cm / 96.00in OAH Overall Heigth Min 300.00cm / 118.00in OAH Overall Heigth Max 375.00cm / 148.00in Max Power Consuption 1210W Weight 95.00kg / 209.00lb

PACKAGE SIZE & WEIGHT (m)Package 1/2 1.55m x 1.00m x 1.60m =2.48CBM (in)Package 1/2 0.61in x 0.39in x 0.63in =87.60ft³

ELECTRIC FEATURE

Installation Ceilling IP degree IP 20

220-240V 50Hz-60Hz **Light Sources** 29 x G9 Max 40W 1 x GU10 Max 50W

Included Sources Light Sources 29 x G9 LED 2W 1 x GU10 LED 6W Lumens 6900lm Kelvin 3000 **CRI** 80

Optional Sources Light Sources 29 x G9 LED 3W 1 x GU10 LED 7W Lumens 8970lm Kelvin 3000 **CRI** 80

110-120V 50Hz-60hZ Max Power Consuption 1210W Light Sources 29 x G9 Max 40W

CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.


Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.


As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our technical department with any queries.

SERIP

This luminaire allows lights sources with energy efficiency class








OPTIONAL FINISHES



SERIP







Talha (TA)

SERIP