BIG Design by Lievore Altherr Molina.

Reference

0532.

Application **Ceiling Fixtures**

Installation type Surface mounted

Description

Accessible ceiling light for indoor use, designed by Lievore, Altherr, Molina. Direct, diffuse and uniform light distribution. Chrome body and white opal methacrylate diffuser. Its large size makes it ideal for lighting large spaces from a single point.

Diffuser

PMMA diffuser


Materials Shade: Acrylic Ring: Steel

Finish



0532-93 White matte lacquer (RAL 9010)

Sketch







Led 4000K CRI >80 9544 lm 141 lm/W Driver included: CV - Contant Voltage 400 mA 230V 50Hz

Electronic dimming: 1-10V PUSH Optional dimming: DALI or SMART

Physical characteristics

1 Box / 0.38 x 1.37 x 1.37 m. / Vol. 0.7080 m³ / Gross weight 21.0 kg. / Net weight 18.9 kg.

Installation and assembly Please see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.

Isolux : Floor

Light position :

X=0.00m Y=0.00m Z=2.50m



Photometric data Efficiency : 75.85% Coordinate system : CG Total flux : 8944.00 lm Maximum value : 258.72 cd/klm Light position : C=0.00 G=0.00 Symmetry on the planes : Double symmetrical

Certificates



Electrical characteristics

4 x LED Quadrant 16.9W 400mA ×

Total 67.6 W