BIG

Design by Lievore Altherr Molina.



Reference

0544.

Application

Ceiling Lamps

Installation type

Built-in

Description

Recessed ceiling light for indoor use, designed by Lievore, Altherr, Molina. Direct, diffuse and uniform light distribution. Chrome or matt white lacquer body and white opal methacrylate diffuser. Its large size makes it ideal for lighting large spaces from a single point. Its design enables it to fit perfectly into its setting, simulating natural light.

Diffuser

Methacrylate diffuser

Materials

Shade: Methacrylate Ring: Steel

Finish




0544-01 Chrome (Metallic finish)



0544-93 Matt white lacquer (RAL 9010)

Sketch



Electrical characteristics

2 x 2G11 230V 24W AND

2 x 2G11 230V 36W



Total 120.0 W





Fixture: 3256 lm 27 lm/W

Driver included: CV - Contant Voltage 230V 50Hz

Electronic dimming DALI PUSH

Physical characteristics

1 Box / 0.27 x 0.76 x 0.76 m. / Vol. 0.1559 m³ / Gross weight 6.3 kg. / Net weight 5.7 kg.

Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.




Photometric data

Efficiency: 34.64% Isolux: Floor Coordinate system : CG Light position :

Total flux : 9400.00 lm X=0.00m Y=0.00m Z=3.00m

Maximum value : 120.01 cd/klm Light position: C=0.00 G=0.00

Symmetry on the planes : Double symmetrical



Certificates











