

# QUADRA ICE

Design by Prolif Diffusion Studio.

# VIBIA

## Reference

**1128.**

## Application

Ceiling Lamps

## Installation type

Surface

## Description

Light for ceiling or wall fitting, in optical glass to fit perfectly into the setting as it has no profile.

## Diffuser

Optical-glass diffuser

## Materials


Diffuser: Glass

## Finish



**1128-00** White glass (RAL 9016)


## Sketch



## Electrical characteristics

1 x R7s 80mm 230V 120W Eco

Total 120.0 W



**Fixture:** 1711 lm 14 lm/W

**Driver included:** CV - Contant Voltage 230V 50Hz

## Physical characteristics

1 Box / 0.21 x 0.41 x 0.41 m. / Vol. 0.0336 m<sup>3</sup> /  
Gross weight 2.3 kg. / Net weight 2.1 kg.


## Installation and assembly

Please, see the installation manual

## Light distribution

### General lighting

Lamp for general lighting that equally distributes the light in all directions.



## Photometric data

Efficiency : 74.37%

Coordinate system : CG

Total flux : 2300.00 lm

Maximum value : 172.19 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Floor

Light position :

X=0.00m Y=0.00m Z=3.00m



## Certificates

