

PIN

Design by Ichiro Iwasaki.

VIBIA

Reference

1655.

Application

Table Lamps

Installation type

Surface

Description

Table lamp. Design by Ichiro Iwasaki. This reading lamp is characterized by having a long arm and an adjustable head. Available in white, black, cream and green matt finishes.

Diffuser

Polycarbonate diffuser

Materials

Head: Aluminium

Base: Zamak

Diffuser: Polycarbonate

Rods: Steel

Finish



1655-04 Matt black lacquer (NCS 9000N)



1655-58 Matt cream lacquer (NCS S 2005-Y20R)




1655-62 Matt green lacquer (NCS S 3010-G20Y)



1655-93 Matt white lacquer (NCS S 0502-Y)

Sketch



Electrical characteristics

1 x LED 4,5W 350mA

Total 4,5 W



Led 2700K CRI >80 450 lm 109 lm/W

Fixture: 208 lm 0 lm/W

Driver included: CC - Constant Current 350 mA 100-240V 50/60Hz

Electronic dimming NO DIM

Physical characteristics

1 Box / 0.20 x 0.36 x 0.67 m. / Vol. 0.0478 m³ /

Gross weight 3.7 kg. / Net weight 2.2 kg.


Installation and assembly

Please, see the installation manual

Light distribution

Reading

Lamp having a light beam whose main function is to supply sufficient light for reading.



Photometric data

Efficiency : 46.31%

Coordinate system : CG

Total flux : 449.94

Maximum value : 193.70

Light position : C=75.00 G=5.00


Symmetry on the planes : Symmetrical planes

270-90

Isolux : Floor

Light position :

X=0.00m Y=0.00m Z=0.55m



Certificates



