

Ameba

Design by Pete Sans.

VIBIA
LIGHT IS CREATION

References:

2200. 2201. 2205. 2206. 2210. 2211.
2215. 2216. 2220. 2221. 2225. 2226.

Application:


Hanging Lamps.

Installation type:

Surface.

Description:

AMEBA is a new pendant concept adaptable to every space and to every need and preference. AMEBA is formed by 5 different shapes that can be combined, to offer an infinite range of compositions. The possibilities are multiple: from a composition with 2 sections, to a design with infinite shapes, offering unthinkable possibilities for every space.



Diffuser:

Acrylic diffuser.

Materials:

Body: Polyurethane foam.

Finish:

- 2200-03. 2201-03. 2205-03. 2206-03. 2210-03. 2211-03.**
2215-03. 2216-03. 2220-03. 2221-03.
Matt white lacquer.
(RAL 9010).
- 2200-18. 2201-18. 2205-18. 2206-18. 2210-18. 2211-18.**
2215-18. 2216-18. 2220-18. 2221-18.
Matt graphite lacquer.
(RAL 7016).

Installation and assembly:

AMEBA is hung with aircraft cables adjustable in height. The power cord can be connected to any of the sections depending on the position of the j. box in the ceiling.

A maximum of 25 modules can be connected to a single connection point.
For bigger compositions, check connection system.
For ceiling over 4 metres, ask for custom cable length.

Design your product configurations fast online at

www.vibia.com ► Professional area

and together with the product you'll receive a PERSONALIZED INSTALLATION GUIDE with all the details of your composition and guidance for its correct and easy installation.




Light distribution:

General lighting - opaque shade:


Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Certificates:



CREATE YOUR
PRODUCT CONFIGURATION
AT VIBIA.COM



2200.

2 x MASTER LEDBulb E27 230V 15W.



Or

2 x COMPACT FLUORESCENT E27 230V 15W Max.



Dimmable

2201.

2 x COMPACT FLUORESCENT GX24q-2 230V 18W Max.



Dimmable version:


Dimmable version electronic ballast
(DALI System / dimmer switch).

Technical characteristics:

For ceiling over 4 metres, ask for custom cable length.

Physical characteristics:

1 Box/ 0,42x0,71x0,66 m./Vol.0,1968 m³/
Gross weight 9,2 Kg./Net weight 5,8 Kg.



2205.

3 x MASTER LEDBulb E27 230V 15W.



Or

3 x COMPACT FLUORESCENT E27 230V 15W Max.



Dimmable

2206.

3 x COMPACT FLUORESCENT GX24q-2 230V 18W Max.



Dimmable version:


Dimmable version electronic ballast
(DALI System / dimmer switch).

Technical characteristics:

For ceiling over 4 metres, ask for custom cable length.

Physical characteristics:

1 Box/ 0,45x0,95x0,95 m./Vol.0,4061 m³/
Gross weight 14,4 Kg./Net weight 12,2 Kg.



2210.

3 x MASTER LEDBulb E27 230V 15W.



Or

3 x COMPACT FLUORESCENT E27 230V 15W Max.



Dimmable

2211.

3 x COMPACT FLUORESCENT GX24q-2 230V 18W Max.



Dimmable version:


Dimmable version electronic ballast
(DALI System / dimmer switch).

Technical characteristics:

For ceiling over 4 metres, ask for custom cable length.

Physical characteristics:

1 Box/ 0,50x0,77x0,77 m./Vol.0,2960 m³/
Gross weight 11,4 Kg./Net weight 9 Kg.



2215.

3 x MASTER LEDBulb E27 230V 15W.



Or

3 x COMPACT FLUORESCENT E27 230V 15W Max.



Dimmable

2216.

3 x COMPACT FLUORESCENT GX24q-2 230V 18W Max.



Dimmable version:


Dimmable version electronic ballast
(DALI System / dimmer switch).

Technical characteristics:

For ceiling over 4 metres, ask for custom cable length.

Physical characteristics:

1 Box/ 0,50x0,77x0,77 m./Vol.0,2960 m³/
Gross weight 14,6 Kg./Net weight 10 Kg.



2220.

1 x MASTER LEDBulb E27 230V 15W.



Or

1 x COMPACT FLUORESCENT E27 230V 23W Max.



Dimmable

2221.

1 x COMPACT FLUORESCENT GX24q-3 230V 26W Max.



Dimmable version:

Dimmable version electronic ballast
(DALI System / dimmer switch).


Technical characteristics:

For ceiling over 4 metres, ask for custom cable length.

Physical characteristics:

1 Box/ 0,42x0,66x0,71 m./Vol.0,1968 m³/

Gross weight 8 Kg./Net weight 4,6 Kg.



2225.

Ceiling rose: Chrome.

Canopy plate: Steel.

Dimmable

2226.

Ceiling rose: Chrome.

Canopy plate: Steel.

Dimmable version:

Dimmable version electronic ballast
(DALI System / dimmer switch).

Physical characteristics:

1 Box/ 0,20x0,20x0,20 m./Vol.0,0080 m³/

Gross weight 1,2 Kg./Net weight 0,8 Kg.

