## **JOIN**

Design by Jordi Vilardell.



Reference

5068.

Application

Table Lamps

Description

Table lamp designed by Jordi Vilardell. It consists of a single piece of blown glass, one light within another. The bulb is concealed inside the inner vessel and the cable comes out of it like a thread.

Diffuser

Blow-glass diffuser

Materials


Shade: Blown-glass

Finish



5068-01 Blown glass (Natural finish)

Sketch



**Electrical characteristics** 

1 x G9 230V 48W Eco

Total 48.0 W







Fixture: 351 lm 7 lm/W

Driver included: CV - Contant Voltage 230V 50Hz

**Technical characteristics** 

- Dimmer on the cable

**Physical characteristics** 

1 Box / 0.44 x 0.29 x 0.29 m. / Vol. 0.1076 m<sup>3</sup> / Gross weight 6.2 kg. / Net weight 5.2 kg.

Installation and assembly

Please, see the installation manual

**Light distribution** 

## **General lighting**

Lamp for general lighting that equally distributes the light in all directions.




Photometric data

Efficiency: 55.76% Isolux: Floor Coordinate system : CG Light position:

Total flux: 630.00 lm X=0.00m Y=0.00m Z=3.00m

Maximum value : 51.74 cd/klm Light position: C=0.00 G=70.00

Symmetry on the planes : Double symmetrical



Certificates



